ELSEVIER

Engineering Geology 58 (2000) 399

ENGINEERING GEOLOGY

www.elsevier.nl/locate/enggeo

Author Index Volume 58

Akkaya, A.D. and Yudcemen, M.S.
Estimation of earthquake hazard based on extremes of local integral random functions 353
Aksoy, H., see Gokceoglu, C. 31
Cui, Z.Q., see Deng, Q.L. 367
Dalgicc, S.
The influence of weak rocks on excavation and support of the Beykoz Tunnel, Turkey 137
Del Gaudio, V., see Wasowski, J. 291
Deng, Q.L., Zhu, Z.Y., Cui, Z.Q. and Wang, X.P.
Mass rock creep and landsliding on the Huangtupo slope in the reservoir area of the Three Gorges Project, Yangtze River, China 67
Esposito, E., Porfido, S., Simonelli, A.L., Mastrolorenzo, G. and Iaccarino, G.
Landslides and other surface effects induced by the 1997 Umbria–Marche seismic sequence 353
Gokceoglu, C. and Aksoy, H.
New approaches to the characterization of clay-bearing, densely jointed and weak rock masses 31
Guzzetti, F.
Landslide fatalities and the evaluation of landslide risk in Italy 89
Harp, E.L., see Jibson, R.W. 271
Iaccarino, G., see Esposito, E. 353
Jeng, F.S., see Lin, M.L. 191
Jibson, R.W., see Parise, M. 251
Jibson, R.W., Harp, E.L. and Michael, J.A.
A method for producing digital probabilistic seismic landslide hazard maps 271
Kang, S.S., Nakamura, N., Obara, Y. and Sugawara, K.
Rock stress interpretations from Mt. Torigata (Japan) based on calcite strain gauge and differential strain curve analysis 35
Karnland, O., see Pedersen, K. 149
Kawanami, A., see Okura, Y. 109
Keefer, D.K.
Statistical analysis of an earthquake-induced landslide distribution — the 1989 Loma Prieta, California event 231
Kitahara, H., see Okura, Y. 109
Lin, M.L. and Jeng, F.S.
Characteristics of hazards induced by extremely heavy rainfall in Central Taiwan—Typhoon Herb 191
Luzi, L., Pergalani, F. and Terlien, M.T.J.
Slope vulnerability to earthquakes at subregional scale, using probabilistic techniques and geographic information systems 313
Mastrolorenzo, G., see Esposito, E. 353
Mawby, R., see Vallejo, L.E. 125
McLane, J., see Wudst, R.A.J. 163
Michael, J.A., see Jibson, R.W. 271
Motamedi, M., see Pedersen, K. 149
Nakamura, N., see Kang, S.S. 35
Obara, Y., see Kang, S.S. 35
Odzccelik, Y., see Tercan, A.E. 25
Okura, Y., Kitahara, H., Sammori, T. and Kawanami, A.
The effects of rockfall volume on runout distance 109
Papadopoulos, G.A. and Plessa, A.
Magnitude–distance relations for earthquake-induced landslides in Greece 377
Parise, M. and Jibson, R.W.
A seismic landslide susceptibility rating of geologic units based on analysis of characteristics of landslides triggered by the 17 January, 1994 Northridge, California earthquake 251
Pedersen, K., Motamedi, M., Karnland, O. and Sandean, T.
Cultivability of microorganisms introduced into a compacted bentonite clay buffer under high-level radioactive waste repository conditions 149
Pergalani, F., see Luzi, L. 313
Plessa, A., see Papadopoulos, G.A. 377
Porfido, S., see Esposito, E. 353
Prestininzi, A. and Romeo, R.
Earthquake-induced ground failures in Italy 387
Romeo, R., see Prestininzi, A. 387
Romeo, R.
Seismically induced landslide displacements: a predictive model 337
Sammori, T., see Okura, Y. 109
Sandean, T., see Pedersen, K. 149
Simonelli, A.L., see Esposito, E. 353
Sugawara, K., see Kang, S.S. 35
Tercan, A.E. and Odzccelik, Y.
Geostatistical evaluation of dimension-stone quarries 25
Terlien, M.T.J., see Luzi, L. 313
Vallejo, L.E. and Mawby, R.
Porosity influence on the shear strength of granular material–clay mixtures 125
Wang, X.P., see Deng, Q.L. 67
Wasowski, J. and Del Gaudio, V.
Evaluating seismically induced mass movement hazard in Caramanico Terme (Italy) 291
Wudst, R.A.J. and McLane, J.
Rock deterioration in the Royal Tomb of Seti I, Valley of the Kings, Luxor, Egypt 163
Yudcemen, M.S., see Akkaya, A.D. 53
Zhu, Z.Y., see Deng, Q.L. 67

0013-7952/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(00)00045-4

ELSEVIER

Engineering Geology 58 (2000) 401–402

ENGINEERING GEOLOGY

www.elsevier.nl/locate/enggeo

Subject Index Volume 58

Abnormality, 163
Active fault, 169
Air-deck, 13
Alteration, 1
Aseismic, 169

Basalt, 123
Blasting, 13
Brightness, 65

Calabria, 53
Case study, 163
Cement additive, 155
Chloride, 81
Clay, 81, 193
Clay-bearing rocks, 215
Coal, 39
Collapse potential, 205
Collapsible soils, 205
Confidence interval, 163
Consolidation, 95
Cracking, 105

Dam site, 1
Deformation modulus, 205
Desiccation, 105
Displacement, 179
Double oedometer tests, 205

Earthquakes, 169
EDTA, 81
Effective stress, 95, 169
Extensometers, 179

Fault creep, 169
Fault displacement rate, 73
Faults, 179
Fragmentation, 13

Geohazard, 39
Grinding, 65
Groundwater, 31
Grouting, 1

Heat insulation, 155
Homomorphic model, 163

Image analysis, 65
India, 123
Infiltration test, 31
In situ stress measurement, 73

Jointed rock, 13

Landfill, 105
Landslide, 163
Landslides, 31
Lightweight aggregate, 155
Liner, 105

Marble, 65
Marl, 193
Mass-movement, 53
Measurement, 65
Meers fault, 169
Minegas, 39
Mining, 39
Monitoring, 179

Oklahoma, 169
Open pit, 13
Ophiolitic melange, 1
Overconsolidation, 169
Overconsolidation ratio, 169

Permeability, 1, 95
Pore fluid pressure, 95
Pozzolanic activity, 155
Preconsolidation, 169
Present tectonic activity, 73
Present tectonic stress state, 73

Q-factor, 123

Regression analysis, 215
Rock Quality Designation, 123

Saudi Arabia, 155
Scoria, 155
Seismic, 169
Shafts, 39
Shallow seismic reflection analysis, 53
Single oedometer tests, 205

0013-7952/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(00)00045-6

Slake durability, 215
Slope failure, 31
Soil constituents, 81
Soil fabric, 169
Soil memory, 169
Soil retention, 81
Soil stabilization, 193
Soil suction, 31
Southwest Bulgaria, 179
Structural geology, 53
Suction, 105

Thermal techniques, 39
Thermodynamic stability, 193
Three-dimensional tectonic stress field, 73
Trace metals, 81

Uniaxial compressive strength, 215
Unsaturated flow, 31